
CITY COMMUTER LITE EDITION

The Lite Edition proves that sometimes less is more. It has everything you need, and nothing you don't – all for an irresistible price.



FRAME OPTIONS AND COLOURS



36v 18.5ah

Notes

When you buy a Pedego, you're investing in:



The *peace of mind* of an industry leading five year warranty



Smart design and exceptional quality that lasts



Friendly customer care that goes the extra mile



KEY FEATURES



MADE FOR YOU

The first thing you notice when you ride a Lite Edition is how comfortable you feel. You'll swear it was made just for you – because it was!

USER-FRIENDLY

The Lite Edition is fully loaded with userfriendly features that make riding even more fun. We thought of everything!





BREATHTAKING PERFORMANCE

- A whisper quiet, 500 watt motor delivers best in class acceleration and hill climbing. The sensation of power it gives you is exhilarating.

- A state-of-the-art 36 Volt battery uses the same advanced lithium-ion cells as an electric car. It weighs less than a housecat and can take you up to 70 kilometres on about 10 cents worth of electricity.







1. Comfort & Style Traditional frame geometry and timeless style.



4. Rear Light

Built-in and rear light for your safety and convenience.



2. City-Style Handlebars City-style handlebars feel natural and familiar.



5. Quality Components

Disk brakes, seven gears, sturdy kickstand, heavy-duty spokes, and more.



3. Comfy Seat Soft saddle provides cushioning where it matters the most.



6. PedalSense®

Twist-and-go throttle, 5 levels of pedal assist, and LCD display with USB charger.

More Notes...



SPECIFICATIONS

Electronics

MOTOR	SILVER 36V BRUSHLESS GEARED REAR HUB MOTOR; 500 WATT NOMINAL POWER RATING; 35NM TORQUE; QUICK DISCONNECT CABLE WITH WATERPROOF CONNECTION.
BATTERY	36 VOLT 10 OR 18.5 AMP HOUR WITH PREMIUM LITHIUM ION 18650 CELLS.
CHARGER	3 AMP SMART CHARGER WITH INTERNAL FAN AND CHARGE INDICATOR LIGHT.
CONTROLLER	36 VOLT 18 AMP SINE WAVE CONTROLLER WITH CUSTOM PEDALSENSE® SOFTWARE AND WATERPROOF CONNECTIONS.
THROTTLE	TWIST AND GO THROTTLE WITH THREADED WATERPROOF CONNECTION.
TOP SPEED	32 KPH WITH MOTOR ASSISTANCE ONLY.
PEDALSENSE®	FREE RIDE MODE (NO POWER), FIVE LEVELS OF PEDAL ASSIST WITH THROTTLE OVERRIDE, AND THROTTLE ONLY MODE.
DISPLAY	2.5" BACKLIT LCD SCREEN; 3 BUTTONS TO CONTROL ELECTRONICS, TOGGLE INFO DISPLAYED, AND CUSTOMIZE SETTINGS; USB CHARGING PORT; WATERPROOF THREADED CONNECTION; CUSTOM PEDALSENSE® SOFTWARE

Drivetrain

DERAILLEUR	SHIMANO ACERA RD-M360 7-SPEED, FULL METAL CONSTRUCTION AND TEFLON COATED BUSHINGS.
CASSETTE	SHIMANO HYPERGLIDE HG20 7 SPEED 12-32T; SMOOTH, LIGHT AND RELIABLE SHIFTING PERFORMANCE.
SHIFTER	SHIMANO FT55 TOURNEY RIGHT HAND THUMB SHIFTER WITH EASY TO READ GEAR DISPLAY.
BOTTOM BRACKET	68MM x 137MM SQUARE TAPER SPINDLE WITH SEALED CARTRIDGE BEARINGS; STEEL CUPS AND BODY.
CHAIN	SHIMANO HG40 1/2"x3/32" 116-120 LINKS WITH INNER PLATE CHAMFERING.
CRANK	SILVER 3 PIECE CRANK WITH 5x130MM BCD 3/32" 46T CHAINRING AND INTEGRATED CHAINGUARD; 175MM FORGED ALUMINUM CRANK ARMS.
PEDALS	SILVER PEDEGO ALUMINUM PLATFORM PEDAL; 9/16" SPINDLE; POLYMER DU BUSHING; INTEGRATED PEDAL REFLECTORS.



SPECIFICATIONS

Brakes

CALIPERS	SHIMANO BR-M375 MECHANICAL DISC BRAKES; INTUITIVE EASY TO USE ADJUSTABILITY; 5MM HEX INBOARD PAD ADJUSTMENT; INTEGRATED CABLE STOP WITH BARREL ADJUSTER.
LEVERS	TEKTRO ERGONOMIC LEVER WITH RUBBER FINGER PADDING; INTEGRATED LEFT HAND BELL; INTEGRATED MOTOR CUT OFF SWITCH FOR MAXIMUM SAFETY.
PADS	SHIMANO RESIN WITH STEEL BACKING PLATE; OE QUALITY FOR NO-COMPROMISE DISC BRAKE PERFORMANCE.
ROTORS	SHIMANO SM-RT26; 180MM DIAMETER; ANTI LOOSENING WASHERS FOR QUICK AND SECURE ASSEMBLY; DESIGNED FOR RESIN PADS.

Components

FRAME	6061-T6 ALUMINUM ALLOY; INTEGRATED REINFORCED REAR RACK FOR BATTERY AND STOR- AGE; INTERNAL CABLE AND WIRE ROUTING.
FORK	RIGID CHROMOLY STEEL; 1 1/8" THREADED STEERER TUBE; DISC BRAKE AND FENDER MOUNTS.
HEADSET	ZERO STACK SEMI-INTEGRATED 1 1/8" THREADED; ZS44/28.6-26TPI ZS44/30.
SEATPOST	SILVER 28.6MM x 300MM ALUMINIUM ALLOY RIGID SEATPOST.
SADDLE	STANDARD: CRUISER STYLE SADDLE; OPTIONAL: EXTRA WIDE CRUISER STYLE SADDLE WITH SOFT FOAM; REAR FACING PEDEGO LOGO; 265MM L x 265MM W.
RIMS	EXTRA STRENGTH DOUBLE WALL LIGHTWEIGHT ALUMINUM ALLOY; 12G X 36 HOLE.
SPOKES	BLACK 12 GAUGE HEAVY DUTY STAINLESS STEEL SPOKES WITH BRASS NIPPLES.
GRIPS	STANDARD: BLACK WEAR RESISTANT PEDEGO GRIPS.
HANDLEBAR	BLACK ERGONOMIC CITY STYLE; ALUMINUM ALLOY; 25.4MM CLAMP DIAMETER; 650MM WIDTH.
STEM	SILVER ALUMINUM QUILL STYLE; 100MM LENGTH; 30 DEGREE RISE; 25.4MM HANDLEBAR CLAMP DIAMETER; HEIGHT ADJUSTABLE 0-60MM; FOR 1 1⁄8" (28.6MM) THREADED
TIRES	STEERER TUBE. KENDA BLACK WALL 26" x 1.95" OR 28" x 1.75 "; PUNCTURE RESISTANT CASING; REFLECTIVE SIDEWALL; SLIME INNER TUBE SEALANT; SCHRADER VALVE.



SPECIFICATIONS

Extras

BATTERY


LIGHTS	REAR: LED BUILT INTO BATTERY; POWERED AND CONTROLLED BY MAIN BATTERY VIA PUSH BUTTON.
KICKSTAND	BLACK ALUMINUM ALLOY CENTER KICKSTAND; ADJUSTABLE LENGTH COMPOSITE FOOT.
TOOL KIT	CUSTOM PEDEGO TOOL KIT: 6" ADJUSTABLE WRENCH (UP TO 15MM), 12/13G SPOKE WRENCH, T25 TORX WRENCH, 6MM HEX WRENCH, 5MM HEX WRENCH WITH #2 PHILLIPS SCREWDRIVER, 4MM HEX WRENCH.
FENDERS	OPTIONAL UPGRADE: COLOR MATCHED STEEL FULL LENGTH FENDERS WITH INTEGRATED MUD FLAPS; STAINLESS STEEL STAYS.
Weight	
BIKE (NO BATTERY)	STEP THRU 26": 52 LB; STEP THRU 28": 55.2 LB; CLASSIC 28": 55.8 LB.

*Specifications subject to change. All bicycle weights do not include a battery. Due to manufacturing tolerances of the individual components the overall bike weight may vary +/- 5%.

36V/18.5Ah: 7.6 LB; 36V/10Ah: 7 LB.

DIMENSIONS


City Commuter Step-Thru 26"






DIMENSIONS

City Commuter Step-Thru 28"



City Commuter Classic 28"



- **REAR HEIGHT** 33" (838mm)
- HANDLEBAR WIDTH 26" (660mm)
- **3 SEAT TUBE TO HANDSET 22**" (559mm)
- SEAT CLAMP TO CRANK 17" (432mm)
- **SEAT CLAMP TO GROUND 29**" (736mm)
- 6 AXLE TO AXLE 44.5" (1130mm)
- **END TO END** 74" (1880mm)

- **REAR HEIGHT** 33" (838mm)
- HANDLEBAR WIDTH 26" (660mm)
- SEAT TUBE TO HANDSET 24" (610mm)
- SEAT CLAMP TO CRANK 18" (457mm)
- SEAT CLAMP TO GROUND 30" (762mm)
- 6 AXLE TO AXLE 47" (1194mm)
- **END TO END** 75" (1905mm)

