



TERYX / 2019

Kawasaki





TERYX4 LE

CANDY STEEL FURNACE ORANGE

TERYX
TERYX4

KAWASAKI CONFIDENCE

CONQUER THE WORLD'S TOUGHEST TERRAIN

Kawasaki Teryx Side-x-Sides are built to dominate the most demanding trails. With the perfect combination of rugged sport performance and useful capability, the Teryx is up for a variety of challenges. Backed by the strength of Kawasaki Heavy Industries Ltd. and the Kawasaki STRONG 3-Year Limited Warranty, the Teryx is a versatile Side-x-Side that you can depend on.




TERYX4

BRIGHT WHITE

TERYX4 LE

MATRIX CAMO GRAY




POWERFUL LIQUID-COOLED ENGINE

The powerful, liquid-cooled, 783cc SOHC, 4-valve-per-cylinder fuel-injected V-twin engine supplies maximum power and torque on demand, delivering the muscle to conquer a wide variety of terrain.



PREMIUM SUSPENSION

Teryx Side-x-Sides are equipped with FOX Podium 2.0 piggyback gas-charged high-performance front and rear shocks. Independent A-arms ensure superior traction and comfort over uneven terrain.



COMFORT

Teryx Side-x-Sides come equipped with stadium-style high-back bucket seats, adjustable sliding driver seat, hinged doors, and DC outlets to power your electronics. The dash features centrally located controls as well as knock-outs for additional accessory switches and space to add the accessory audio system.




WELDED DOUBLE-X FRAME

The strength and durability of the Teryx starts with the Double-X welded main frame. With tough, high-quality welds, the Double-X main frame is lightweight yet has amazing strength.

4-PASSENGER SEATING

With four-person seating, the Teryx4 offers sport-driven thrills that the whole family can enjoy. Comfortable bucket seats both the front and rear plus 249 pounds of rear cargo capacity so you can take everything with you.



ELECTRIC POWER STEERING (EPS)

Speed-sensitive EPS helps to enhance performance and offers maximum assistance at slower speeds. It also helps to absorb kickback from bumps for smooth, predictable operation.



VARIABLE DRIVE MODES

You can select 2WD, 4WD and 4WD with front differential lock, enabling ground-gripping traction in a variety of conditions. When in 4WD mode, all four wheels remain engaged full-time.



HIGH-PERFORMANCE BRAKING

The combination of high-performance disc brakes at the front and a sealed wet brake at the rear offers formidable braking power and ensures dependable braking performance is maintained even in wet or muddy conditions.

CONTINUOUSLY VARIABLE TRANSMISSION (CVT)

The CTV with centrifugal clutch maintains belt tension for instant throttle response, improves belt life and enables positive belt engagement for automatic engine braking performance on challenging descents. The durable high-grade CVT belt ensures smooth riding and more time spent on the trails.



AGILE RIDE

The short wheelbase contributes to a tight turning radius and great break-over angle to get over trail debris. The stable wide-body chassis maximizes handling performance.



CARGO AND STORAGE

The gas-assisted tilting cargo bed holds up to 600 lbs. (272 kg) on Teryx Models and 250 lbs. (113 kg) on Teryx4 models. The Grand Rear Storage—two large, sealed storage compartments (182 litres)— give the Teryx the greatest storage capacity in the RUV category.



TOWING

Teryx Side-x-Sides feature a massive 1,300-pound towing capacity





TERYX4 LE

MATRIX CAMO GRAY

- Digital camo bodywork
- 4-passenger seating
- LED Headlights
- Roof
- Additional DC Outlet in Rear
- 14-inch Aluminum Wheels
- Maxxis Bighorn Tires



TERYX4

BRIGHT WHITE

- 4-Passenger seating



TERYX4 LE

CANDY STEEL FURNACE ORANGE

- 4-passenger seating
- LED Headlights
- Roof
- Additional DC Outlet in Rear
- 14-inch Aluminum Wheels
- Maxxis Bighorn Tires



TERYX LE

MATRIX CAMO GRAY

- Digital camo bodywork
- LED Headlights
- Roof
- Additional DC Outlet in Rear
- 14-inch Aluminum Wheels
- Maxxis Bighorn Tires



TERYX4 LE

METALLIC CARBON GRAY

- 4-passenger seating
- LED Headlights
- Roof
- Additional DC Outlet in Rear
- 14-inch Aluminum Wheels
- Maxxis Bighorn Tires



TERYX LE

CANDY STEEL FURNACE ORANGE

- LED Headlights
- Roof
- Additional DC Outlet in Rear
- 14-inch Aluminum Wheels
- Maxxis Bighorn Tires



TERYX CAMO

CAMOUFLAGE REALTREE XTRA GREEN

- Realtree Xtra Green Camo Bodywork
- LED Headlights
- Roof
- Additional DC Outlet in Rear
- Maxxis Bighorn Tires



TERYX

BRIGHT WHITE



TERYX4 LE

MATRIX CAMO GRAY

CUSTOMISE WITH KAWASAKI GENUINE ACCESSORIES.



DEVELOPED BY KAWASAKI ENGINEERS

This ensures a perfectly integrated fit, an easy, seamless installation and long-lasting dependability.



THOROUGHLY TESTED

Through exhaustive testing by Kawasaki engineers, these accessories meet the same stringent quality standards as every Kawasaki Strong Teryx Side-X-Side.



WARRANTY APPROVED

Kawasaki Genuine Accessories are covered by Kawasaki factory warranty.


ALL-WEATHER



COMFORT & PROTECTION



PROTECTION



STORAGE



UTILITY



HUNTING



	TERYX4 / LE	TERYX / LE / CAMO
Engine type	4-stroke, liquid-cooled, 90° V-Twin	4-stroke, liquid-cooled, 90° V-Twin
Displacement	783cc	783cc
Bore x stroke	85.0 x 69.0 mm	85.0 x 69.0 mm
Compression ratio	10.7:1	10.7:1
Fuel system	Fuel Injection: 36 mm x 2 (Mikuni)	Fuel Injection: 36 mm x 2 (Mikuni)
Electrical	12-volt DC; 18 amp-hour battery, alternator	12-volt DC; 18 amp-hour battery, alternator
Drive train	Kawasaki Automatic Power Drive System; continuously variable belt-drive transmission with high and low range plus reverse and mechanical Kawasaki Engine Brake Control	Kawasaki Automatic Power Drive System; continuously variable belt-drive transmission with high and low range plus reverse and mechanical Kawasaki Engine Brake Control
Final drive	2WD/4WD, Shaft	2WD/4WD, Shaft
Exhaust	Stainless steel Muffler with USFS-approved spark arrestor	Stainless steel Muffler with USFS-approved spark arrestor
Frame	Double-X reinforcement type, tubular carbon steel	Double-X reinforcement type, tubular carbon steel
Tires, front/rear	26 x 9R12 6PR / 26 x 11R12 6PR (MAXXIS) LE: 27 x 9R14 6PR / 27 x 11R14 6PR (MAXXIS)	26 x 9R12 6PR / 26 x 11R12 6PR (MAXXIS) LE: 27 x 9R14 6PR / 27 x 11R14 6PR (MAXXIS)
Front suspension	Double wishbone with reservoir-equipped gas-charged shocks, fully adjustable preload, and adjustable (24 clicks) compression damping	Double wishbone with reservoir-equipped gas-charged shocks, fully adjustable preload, and adjustable (24 clicks) compression damping
Rear suspension	Double wishbone with reservoir-equipped gas-charged shocks, fully adjustable preload, and adjustable (24 clicks) compression damping	Double wishbone with reservoir-equipped gas-charged shocks, fully adjustable preload, and adjustable (24 clicks) compression damping
Wheel travel, front/rear	202/210 mm (8.0/8.3 in.)	202/210 mm (8.0/8.3 in.)
Steering	EPS - Electric Power Steering	EPS - Electric Power Steering
Brakes, front/rear	Dual 200 mm discs with 2-piston calipers/ Enclosed wet multi-plate	Dual 200 mm discs with 2-piston calipers/ Enclosed wet multi-plate
Fuel capacity	30.0 litres (6.6 gal.)	30.0 litres (6.6 gal.)
Dimensions (LxWxH)	3185 x 1565 x 1975 mm (125.4 x 61.6 x 77.8 in.) LE: 3185 x 1565 x 2025 mm (125.4 x 61.6 x 79.7 in.)	3000 x 1565 x 1925 mm (118.1 x 61.6 x 75.8 in.) LE & CAMO : 3000 x 1565 x 1975 (118.1 x 61.6 x 77.8 in.)
Curb mass*	728 kg (1605 lbs.) LE: 739 kg (1629.2 lbs.)	712 kg (1570 lbs.) LE: 720 kg (1588 lbs.) CAMO: 718 kg (1583 lbs.)
Wheelbase	2,175 mm (85.6 in.)	2,180 mm (85.8 in.)
Ground clearance	285 mm (11.2 in.) (At front floor guard)	285 mm (11.2 in.) (At front floor guard)
Cargo bed (LxWxH)	455 x 1210 x 220 mm (17.9 x 47.6 x 8.7 in.)(front) / 125 mm (4.9 in.)(rear)	700 x 1110 x 265 mm (27.6 x 43.3 x 10.4 in.)(front) / 300 mm (11.8 in.)(rear)
Cargo bed load capacity	113 kg (250 lbs.)	272 kg (600 lbs.)
Towing capacity	590 kg (1,300 lbs.)	590 kg (1,300 lbs.)
Colour	Bright White LE: Matrix Camo Gray, Candy Steel Furnace Orange or Metallic Carbon Gray	Bright White LE: Candy Steel Furnace Orange or Matrix Camo Gray CAMO: Camouflage Realtree® Xtra® Green
Warranty	3 Years	3 Years

* Curb Mass includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90% of capacity) and tool kit (if supplied)

EXTEND YOUR FACTORY PROTECTION



kawasaki.ca/kpp

Kawasaki subscribes to the guidelines of Tread Lightly!, a program dedicated to protecting the great outdoors through education and fostering responsible enjoyment of public lands.



KAWASAKI CARES

Warning: The TERYX and TERYX4 recreation utility vehicle can be hazardous to operate. For your safety: Always wear a helmet, eye protection and protective clothing. Never ride under the influence of drugs or alcohol. Never ride on public roads or pavement. Avoid high speed turns or abrupt maneuvers. Be extra careful on difficult terrain. Protect the environment and obey all laws and regulations that control the use of this vehicle. Kawasaki also recommends that all TERYX riders take a training course. For more information, see your dealer, or call the Canada Safety Council at 1-613-739-1535.

The specifications mentioned here apply to and have been achieved by production models under standard operating conditions. We intend only to give a fair description of the vehicle and its performance capabilities but these specifications may not apply to every machine supplied for sale. Kawasaki Heavy Industries, Ltd. reserves the right to alter specifications without prior notice. Equipment illustrated and specifications may vary to meet individual markets. Available colours may vary by market.

Professional riders on a closed course.

*Canadian model may not be exactly as shown.



KAWASAKI TERYX SIDE-X-SIDES COME WITH A 36 MONTH FACTORY WARRANTY

Kawasaki keeps the good times rolling with unlimited kilometres/hours of usage. We have you covered with our nationwide Kawasaki dealer network. Visit kawasaki.ca/page/warranty for complete details.

For more vehicle information, take an in-depth tour at www.kawasaki.ca

EXTEND YOUR FACTORY PROTECTION



kawasaki.ca/kpp

treadlightly!®



Kawasaki subscribes to the guidelines of Tread Lightly!, a program dedicated to protecting the great outdoors through education and fostering responsible enjoyment of public lands.

KAWASAKI CARES

Warning: The TERYX and TERYX4 recreation utility vehicle can be hazardous to operate. For your safety: Always wear a helmet, eye protection and protective clothing. Never ride under the influence of drugs or alcohol. Never ride on public roads or pavement. Avoid high speed turns or abrupt maneuvers. Be extra careful on difficult terrain. Protect the environment and obey all laws and regulations that control the use of this vehicle. Kawasaki also recommends that all TERYX riders take a training course. For more information, see your dealer, or call the Canada Safety Council at 1-613-739-1535.

The specifications mentioned here apply to and have been achieved by production models under standard operating conditions. We intend only to give a fair description of the vehicle and its performance capabilities but these specifications may not apply to every machine supplied for sale. Kawasaki Heavy Industries, Ltd. reserves the right to alter specifications without prior notice. Equipment illustrated and specifications may vary to meet individual markets. Available colours may vary by market.

Kawasaki