



VULCAN / 2019

Kawasaki

Vulcan 1700 VOYAGER

RULE THE ROAD

BIG, BOLD POWER

The King of Kawasaki cruisers, the Vulcan 1700 Voyager ABS is the pinnacle of power and luxury on the open road. A 1700cc digital fuel-injected engine with cruise control commands the road, while a host of premium touring features gives you and your passenger the comfort to go the distance.



VULCAN 1700 VOYAGER ABS

CANDY IMPERIAL BLUE /
METALLIC GRAPHITE GRAY

VULCAN 1700 VOYAGER ABS

CANDY IMPERIAL BLUE /
METALLIC GRAPHITE GRAY



FULLY LOADED DASH

The frame-mounted fairing not only provides ample rider protection, but also houses numerous accommodations for you and your passenger. Large, easy-to-read instrumentation including a central LCD screen keeps you informed and in control.



AUDIO

Powerful speakers accompany the standard AM/FM/WB audio system with accessory iPod and SiriusXM compatibility. It also features Navigation Audio Prompt Capability in conjunction with select Garmin GPS devices (sold separately).



ELECTRONIC CRUISE CONTROL

Relax and soak up the open road with the innovative electronic cruise control system of the Vulcan 1700 Voyager. Cruise control can be engaged and adjusted entirely from the right side of the handlebar—set your cruising speed in third gear or above 60 km/h with the push of a button and easily accelerate or decelerate with a toggling switch while remaining in cruise control mode.



POWERFUL V-TWIN

The Voyager's 1700cc liquid-cooled V-twin's impressive mid-range torque produces superior passing performance, while the 6-speed transmission with overdrive provides smooth cruising and better fuel economy during highway riding. The belt final drive is quiet, efficient and helps reduce maintenance.

ETV (ELECTRONIC THROTTLE VALVE SYSTEM)

Kawasaki's fully electronic throttle valve system offers smooth, natural engine response and easy starting.



K-ACT (KAWASAKI ADVANCED COACTIVE-BRAKING TECHNOLOGY)

Kawasaki's 2nd generation exclusive K-ACT (Kawasaki Advanced Coactive-braking Technology) assists riders to execute controlled, balanced braking. Designed to complement the rider's applied brake force, K-ACT ensures ideal brake force distribution between front and rear calipers to maximize braking efficiency.



PLENTY OF STORAGE

Top-opening sealed and lockable saddlebags have 38 litres (8.4 gal) of storage each, while the 50 litre (11 gal) trunk has enough space to fit two full face helmets. The lockable glove compartments provide more storage and has an available audio port.

COMFORT AND CONVENIENCE

The Vulcan 1700 Voyager ABS offers everything needed for comfortable long-distance touring with or without a passenger. The large windscreen, sculpted front cowling and leg shields with adjustable air vents protect rider and passenger from wind and elements. Sculpted seats provided all-day comfort. The capacious 20 litre (4.4 gal) fuel tank will keep you on the road longer.





VULCAN 1700 VOYAGER ABS

CANDY IMPERIAL BLUE /
METALLIC GRAPHITE GRAY

VULCAN 1700 VAQUERO

ULTIMATE BAGGER

WHERE POWER AND LUXURY PEAK

Whether on the highway or city streets, the Vulcan 1700 Vaquero ABS has the modern muscle to log the miles with style—style that pays homage to its classic hot rod roots. The Vaquero has everything you need for turning heads with bagger styling and full-featured functionality giving you the best of both worlds.



VULCAN 1700 VAQUERO ABS

METALLIC SPARK BLACK

VULCAN 1700 VAQUERO ABS

METALLIC SPARK BLACK



POWERFUL V-TWIN

The thunderous 1700cc fuel-injected V-twin engine's mid-range torque produces superior passing performance, while the 6-speed transmission with overdrive provides better fuel economy during highway riding. The blacked-out engine and distinct styling of the bodywork are accented by select chrome parts to create a unique and bold appearance.



ELECTRONIC CRUISE CONTROL

Relax and soak up the open road with the innovative electronic cruise control system of the Vulcan 1700 Vaquero. Cruise control can be engaged and adjusted entirely from the right side of the handlebar—set your cruising speed in third gear or above 60 km/h with the push of a button and easily accelerate or decelerate with a toggling switch while remaining in cruise control mode.



INTEGRATED SIDE BAGS

Essential bagger equipment, the tightly-mounted lockable hard saddlebags follow the lines of the bike's elegantly integrated rear section for a slim profile. Each offers 35 litres (7.7 gal) of storage space.



RIDER COCKPIT

Hot rod-style elements carry over into the cockpit of the Vulcan 1700 Vaquero ABS where muscle-car-inspired instrumentation highlights the color-matched dash. The classic appearance belies the host of modern onboard amenities such as the AM/FM/WB audio system with iPod and SiriusXM compatibility. Small locking storage compartments below the premium speakers allow you to stow electronics, sunglasses and other necessities in a convenient spot.



CONTROLLED BRAKING PERFORMANCE

Kawasaki's 2nd generation exclusive K-ACT (Kawasaki Advanced Coactive-braking Technology) assists riders to execute controlled, balanced braking. Designed to complement riders' applied brake force, K-ACT ensures ideal brake force distribution between front and rear calipers to maximize braking efficiency.

BAGGER STYLING

The frame-mounted, muscular front cowl and long tapered mufflers complement the wide-and-low bagger styling.

ETV (ELECTRONIC THROTTLE VALVE SYSTEM)

Kawasaki's fully electronic throttle valve system offers smooth, natural engine response and easy starting.

BELT FINAL DRIVE

The smooth and efficient belt drive uses carbon fibre as a tensile material that reduces weight and contributes to appearance.





VULCAN 1700 VAQUERO ABS

METALLIC SPARK BLACK

***Vulcan* 900**

PURE CRUISING FREEDOM



FULLY LOADED WITH BIG-BIKE STYLE

The 900cc V-twin powered cruiser has all the style and attitude of a one-of-a-kind build. From the detailed paint on the tank and fenders to the thunderous exhaust, the Vulcan 900 Series motorcycles make a bold statement. Powered by a potent, fuel-injected 55-degree 903cc V-twin, the Vulcan 900 Series offers robust low to mid range torque with a smooth transmission and a quiet belt drive.

VULCAN 900 CUSTOM

PEARL STORM GRAY / EBONY

VULCAN 900 CLASSIC

METALLIC MATTE GRAPHITE GRAY /
METALLIC MATTE CARBON GRAY



900cc'S OF SATISFYING POWER

A powerful, 55-degree, 903cc liquid-cooled, V-twin engine is tuned to deliver big-bike-style response and superior acceleration. The smooth-shifting transmission is geared for a comfortably low rpm at highway cruising speeds. The electronic fuel injection system controlled by dual throttle valves ensures silky response and easy-to-control torque characteristics.



BELT FINAL DRIVE

The quiet and efficient belt final drive results in reduced maintenance (compared to chain final drives) and delivers a smoother ride quality, with less weight and better efficiency than shaft drives.



SCULPTED FUEL TANK

A beautifully sculpted, 20 litre (4.4 gallon) fuel tank serves as the centerpiece, offering class-leading capacity and head-turning style. In keeping with its clean lines and minimalist styling, the fuel tank also houses the sleek instrument panel. The solo gauge indicates speed and fuel level, plus offers odometer and trip meter functions—everything you need and nothing you don't for a pure ride.



STRONG BRAKING PERFORMANCE

The drilled 300 mm front and 270 mm rear discs deliver impressive stopping power and braking control.



LIGHT HANDLING

Chassis geometry was designed to offer a combination of stability and low-effort control at ultra-low speeds.

CLASSIC:



STYLING

A plush bucket seat with low seat height provides comfortable rider ergonomics and support. Big-bike styling such as big, bold fenders, wide tires, and spacious floorboards set the tone for a full day of cruising. Dual slash-cut mufflers provide a custom look.



SIGNATURE WHITEWALL TIRES

Classic whitewall tires and spoked wheels are complemented by the full-coverage cut of the fenders for a distinguished look. Performance tires, including a wide 180 mm rear, offer modern performance with premium handling capabilities.

CLASSIC LT:



TWO-TONE PAINT

The classic two-tone paint job on the fuel tank and fenders is complemented by chrome detailing and the embossed tank logo.



LEATHER SADDLEBAGS

Enjoy the convenience of ample onboard storage with reinforced, top-grain, deep-dyed leather saddlebags. The chromed-brass studs and concealed quick-release fasteners provide seamless style.



HEIGHT-ADJUSTABLE WINDSHIELD

The chrome-trimmed acrylic windshield is height-adjustable. Divert airflow around you and your passenger for a more comfortable ride.



SEAT

The low seat height provides a natural riding position. Passengers are also treated to plush comfort with a standard integrated seat and backrest. Chromed-brass studs along the perimeter accentuate the bold look of the Vulcan 900 Classic LT.

CUSTOM:



CUSTOM STYLING

The Vulcan 900 Custom is a stock bike that looks custom with its chopper-style front wheel and chrome, drag-style handlebars with built-in risers. The low-riding seat flows right into the bodywork and forward-positioned footpegs provides a comfortable riding position.



CHOPPER-STYLE FRONT WHEEL

The cast-spoke wheels feature a glossy black finish with orange accents for a distinctive hand-made look. The chopper-style front wheel is crafted with a 3D twin-spoke design. The 21-inch front wheels is contrasted by a wide 15-inch rear wheel with a beefy 180 mm rear tire.



VULCAN 900 CUSTOM

PEARL STORM GRAY / EBONY



VULCAN 900 CLASSIC

METALLIC MATTE GRAPHITE GRAY /
METALLIC MATTE CARBON GRAY

- Signature Whitewall Tires
- Floorboards



VULCAN 900 CLASSIC LT

METALLIC GRAPHITE GRAY / CANDY IMPERIAL BLUE


- Integrated passenger seat with backrest
- Leather saddlebags
- Adjustable windscreen
- Chromed-brass studding
- Floorboards
- 24-month limited warranty



VULCAN 900 CUSTOM

PEARL STORM GRAY / EBONY

- Drag-style handlebar
- Cast 21" front wheel, 15" rear wheel
- Footpegs





VULCAN 900 CLASSIC LT

METALLIC GRAPHITE GRAY /
CANDY IMPERIAL BLUE

Vulcan® S

GEARED TO FIT YOU

THE HEART OF A SPORTBIKE AND THE COMFORT OF A CLASSIC CRUISER

Break boundaries with the Kawasaki Vulcan S ABS, a sport-influenced cruiser that challenges the idea of what a cruiser should be. Adjustable for a tailored fit and featuring controllable yet plentiful Ninja-inspired power, the Vulcan S ABS offers a way for riders of any experience level or stature to get the absolute most out of every mile.



VULCAN S ABS SE
STORMCLOUD BLUE

VULCAN S ABS CAFE

CANDY STEEL FURNACE ORANGE /
METALLIC SPARK BLACK



CONFIGURE YOUR ERGO-FIT

One size fits all? Not when it comes to your ride. Take control with ERGO-FIT adjustability—a Kawasaki system of adjustable components that offers 18 different configurations for your height, size and preference. As an added bonus, the selected ERGO-FIT parts will be fitted to the motorcycle at the dealership to ensure customers receive the ideal fit.



ADJUSTABLE SUSPENSION

Highly distinctive offset laydown single-shock rear suspension is equipped with linkage to enable a longer stroke for increased ride comfort. The rear shock features an adjustable preload, with 7-positions to suit rider size and payload.



LARGE DISC BRAKES WITH ABS

Large-diameter disc brakes balance ample stopping power with easy control. Front and rear ABS provides secure braking.



REDUCED REACH



UP TO 5'6"
(1.68M)

MID REACH



5'7" (1.7M) - 6'
(1.8M)

EXTENDED REACH



6'1" (1.85M)
AND UP

CUSTOMIZE YOUR VULCAN S WITH ERGOFIT

Find your fit. The Vulcan S is an incredibly adaptable cruiser with adjustable riding positions for every rider. Choose between three suggested configurations or mix and match.

EXTENDED REACH - 6'1 AND OVER

Three position footpegs are adjusted 1 inch further out from the rider to give more room. Add the comfort of the accessory extended reach seat, which moves hip support back one inch to provide extra room.

MID-REACH 5'7 TO 6'0

Adjustable handle levers and three position footpegs are positioned in the standard position from the factory and requires no change at the dealership.

REDUCED REACH 5'6 AND UNDER

Handlebar levers are positioned inward, while the handlebar decreases reach by one inch. Three position footpegs are adjusted 1 inch closer to your body for maximum comfort and confidence. Plus you can cruise comfortably in an additional accessory seat that moves you 2 inches forward.

COMFORT

The sculpted seat design with thick padding offers excellent comfort and good hip support, while the low 705 mm (27.8 in.) seat height with relaxing foot-forward position adds to rider comfort. Numerous accessories provide even more comfort for longer rides.



NINJA-INSPIRED POWER

The signature 649cc liquid-cooled, 4-stroke parallel-twin engine gives the Vulcan S a distinctly fun ride, characterised by power that's smooth and controllable. The engine is incredibly compact and lightweight, contributing to the featherweight handling. The Vulcan S is tuned for low to mid-range performance that delivers gratifying acceleration.





VULCAN S ABS CAFE

CANDY STEEL FURNACE ORANGE /
METALLIC SPARK BLACK

- Tinted CAFE windscreen
- Detail Kawasaki emblem on clutch basket
- Special CAFE paint



VULCAN S ABS

METALLIC FLAT SPARK BLACK



VULCAN S ABS SE

STORMCLOUD BLUE

- Detail Kawasaki emblem on clutch basket
- Special edition paint



VULCAN S ABS SE

METALLIC MATTE COVERT GREEN

- Detail Kawasaki emblem on clutch basket
- Special edition paint

OPTIONAL VULCAN S ACCESSORIES FOR COMFORTABLE TOURING

- 1 KQR™ Passenger Backrest
- 2 KQR™ Saddlebags
- 3 KQR™ Luggage Rack
- 4 KQR™ Café Deflector
- 5 Clutch Cover Emblem
- 6 LED Light Bar
- 7 Passenger Seat

...and many more.







VULCAN S ABS CAFE

CANDY STEEL FURNACE ORANGE /
METALLIC SPARK BLACK

	VULCAN 1700 VOYAGER ABS	VULCAN 1700 VAQUERO ABS	VULCAN 900 CLASSIC
Engine type	4-stroke V-Twin	4-stroke V-Twin	4-stroke, V-Twin
Displacement	1,700cc	1,700cc	903cc
Bore x stroke	102 x 104 mm	102 x 104 mm	88 x 74.2 mm
Compression ratio	9.5:1	9.5:1	9.5:1
Valve system	SOHC, 4 valves per cylinder	SOHC, 4 valves per cylinder	SOHC, 4 valves per cylinder
Cooling system	Liquid, plus cooling fins	Liquid, plus cooling fins	Liquid, plus cooling fins
Fuel system	Digital Fuel Injection with dual 42 mm throttle bodies	Digital Fuel Injection with dual 42 mm throttle bodies	Digital Fuel Injection with dual 34 mm throttle bodies
Ignition	TCBI with digital advance	TCBI with digital advance	TCBI with digital advance
Starting	Electric	Electric	Electric
Transmission	6-speed, with overdrive	6-speed, with overdrive	5-speed
Final drive	Carbon fiber - reinforced belt	Carbon fiber - reinforced belt	Kevlar - reinforced belt
Frame type	Double-cradle, high-tensile steel	Double-cradle, high-tensile steel	Double-cradle, high-tensile steel
Rake/trail	30° / 177 mm (7 in.)	30° / 177 mm (7 in.)	32° / 164 mm (6.5 in.)
Front suspension / wheel travel	45 mm hydraulic telescopic fork / 140 mm (5.5 in.)	45 mm hydraulic telescopic fork / 140 mm (5.5 in.)	41 mm hydraulic telescopic fork / 150 mm (5.9 in.)
Rear suspension / wheel travel	Swingarm with twin air-assisted shocks, with 4-position rebound damping adjustment / 80 mm (3.1 in.)	Swingarm with twin air-assisted shocks, with 4-position rebound damping adjustment / 80 mm (3.1 in.)	Uni-Trak with 7-position rebound damping adjustment / 100 mm (3.9 in.)
Tire, front/rear	130/90-B16 (67H); 170/70-B16 (75H)	130/90-B16 (67H); 170/70-B16 (75H)	130/90-16M/C (67H); 180/70-15M/C (76H)
Brakes, front/rear	Dual 300 mm discs with dual 4-piston calipers / Single 300 mm disc with twin-piston caliper K-ACT ABS	Dual 300 mm discs with dual 4-piston calipers / Single 300 mm disc with twin-piston caliper K-ACT ABS	Single 300 mm disc with twin-piston caliper / 270 mm hydraulic disc with twin-piston caliper
Wheelbase	1665 mm (65.6 in.)	1665 mm (65.6 in.)	1645 mm (64.8 in.)
Seat height	730 mm (28.7 in.)	730 mm (28.7 in.)	680 mm (26.8 in.)
L x W x H	2560 x 995 x 1550 mm (100.8 x 39.2 x 61 in.)	2510 x 970 x 1290 mm (98.8 x 38.2 x 50.8 in.)	2465 x 1005 x 1065 mm (97 x 39.6 x 41.9 in.)
Fuel capacity	20 litres (4.4 gal.)	20 litres (4.4 gal.)	20 litres (4.4 gal.)
Curb mass* †	406 kg (895.1 lbs.)	383 kg (845 lbs.)	281 kg (620 lbs.)
Colour	Candy Imperial Blue / Metallic Graphite Gray	Metallic Spark Black	Metallic Matte Graphite Gray / Metallic Matte Carbon Gray
Warranty	36 months	36 months	12 months

* Curb Mass Includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90% of capacity) and tool kit (if supplied)

VULCAN 900 CLASSIC LT	VULCAN 900 CUSTOM	VULCAN S ABS
4-stroke, V-Twin	4-stroke, V-Twin	4-stroke, Parallel-Twin
903cc	903cc	649cc
88 x 74.2 mm	88 x 74.2 mm	83 x 60 mm
9.5:1	9.5:1	10.8:1
SOHC, 4 valves per cylinder	SOHC, 4 valves per cylinder	DOHC, 8 valves
Liquid, plus cooling fins	Liquid, plus cooling fins	Liquid
Digital Fuel Injection with dual 34 mm throttle bodies	Digital Fuel Injection with dual 34 mm throttle bodies	Digital Fuel Injection with dual 38 mm throttle bodies with sub-throttles
TCBI with digital advance	TCBI with digital advance	TCBI with digital advance
Electric	Electric	Electric
5-speed	5-speed	6-speed
Kevlar - reinforced belt	Kevlar - reinforced belt	Chain
Double-cradle, high-tensile steel	Double-cradle, high-tensile steel	Perimeter, high-tensile steel
32° / 164 mm (6.5 in.)	33° / 182 mm (7.2 in.)	31° / 120 mm (4.7 in.)
41 mm hydraulic telescopic fork / 150 mm (5.9 in.)	41 mm hydraulic telescopic fork / 150 mm (5.9 in.)	41 mm hydraulic telescopic fork / 130 mm (5.1 in.)
Uni-Trak® with 7-position rebound damping adjustment / 100 mm (3.9 in.)	Uni-Trak® with 7-position rebound damping adjustment / 103 mm (4 in.)	Offset laydown single-shock, linkage-equipped, with adjustable preload / 80 mm (3.1 in.)
130/90-16M/C (67H); 180/70-15M/C (76H)	80/90-21M/C (48H); 180/70-15M/C (76H)	120/70R18M/C 59H; 160/60R17M/C 69H
Single 300 mm disc with twin-piston caliper / 270 mm disc with twin-piston caliper	Single 300 mm disc with twin-piston pin-slide mount caliper / 270 mm hydraulic disc with twin-piston, pin-slide mount caliper	Single 300 mm disc with twin-piston caliper / 250 mm disc with single-piston caliper
1645 mm (64.8 in.)	1645 mm (64.8 in.)	1575 mm (62 in.)
680 mm (26.8 in.)	685 mm (27 in.)	705 mm (27.8 in.)
2465 x 1005 x 1480 mm (97 x 39.6 x 58.3 in.)	2405 x 895 x 1120 mm (94.7 x 35.2 x 44.1 in.)	2310 x 880 x 1100 mm (90.9 x 34.6 x 43.3 in.)
20 litres (4.4 gal.)	20 litres (4.4 gal.)	14 litres (3.1 gal.)
298 kg (657 lbs.)	277 kg (611 lbs.)	226 kg (498 lbs.)
Metallic Graphite Gray / Candy Imperial Blue	Pearl Storm Gray / Ebony	Metallic Flat Spark Black SE: Stormcloud blue or Metallic Matte Covert Green CAFÉ: Candy Steel Furnace Orange / Metallic Spark Black
24 months	12 months	12 months



YOUR KAWASAKI VULCAN COMES WITH A FACTORY WARRANTY

Kawasaki keeps the good times rolling with unlimited kilometres/hours of usage. We have you covered with our nationwide Kawasaki dealer network. Visit kawasaki.ca/page/warranty for complete details.

For more vehicle information, take an in-depth tour at www.kawasaki.ca

99969-6076E

EXTEND YOUR FACTORY PROTECTION

KAWASAKI
PROTECTION PLUS



kawasaki.ca/kpp

EXTEND YOUR FACTORY PROTECTION

KAWASAKI PROTECTION PLUS Available in 12, 24, 36 and 48 month terms that begin when the original warranty expires, KPP offers you hassle-free coverage for repairs performed at any Authorized Kawasaki Dealer in Canada.

• No deductible fees • Unlimited mileage protection • Nationwide coverage • Hassle-free, no-risk plan • Kawasaki-backed protection • Warranty can be transferred to a new owner • No warranty transfer fee • Roadside assistance included

The specifications mentioned here apply to and have been achieved by production models under standard operating conditions. We intend only to give a fair description of the vehicle and its performance capabilities but these specifications may not apply to every machine supplied for sale. Kawasaki Heavy Industries, Ltd. reserves the right to alter specifications without prior notice. Equipment illustrated and specifications may vary to meet individual markets. Available colours may vary by market. Professional rider(s) on a closed course.

Kawasaki